# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 34-62-B black
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Currently no such applications are identified.
- · Application of the substance / the mixture ROLLERBALL INK
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Yafa A Pen Company

21306 Gault Street, Canoga Park, California, 91303, USA

email: kattyuganova@yafa.com

- · Further information obtainable from:
- · 1.4 Emergency telephone number:

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07

.

- · Signal word Warning
- · Hazard-determining components of labelling:

ethanediol

Reaction products of tetrazotized 5-amino-2-[(E)-2-(4-amino-2-sulfophenyl)ethenyl]benzenesulfonic acid with 6-amino-4-hydroxynaphthalene-2-sulfonic acid and 4-amino-5-hydroxynaphthalene-2,7-disulfonic acid in 2-[bis(2-hydroxyethyl)amino]ethanol 2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

· Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

· vPvB: Not applicable.

Trade name: 34-62-B black

(Contd. of page 1)

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 107-21-1	ethanediol	25-<50%
EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	♦ STOT RE 2, H373;  ♦ Acute Tox. 4, H302	
EC number: 916-899-6	Reaction products of tetrazotized 5-amino-2-[(E)-2-(4-amino-2-sulfophenyl)ethenyl]benzenesulfonic acid with 6-amino-4-hydroxynaphthalene-2-sulfonic acid and 4-amino-5-hydroxynaphthalene-2,7-disulfonic acid in 2-[bis(2-hydroxyethyl)amino]ethanol  Skin Sens. 1B, H317	5-<10%
CAS: 2634-33-5 EINECS: 220-120-9 Reg.nr.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one  → Acute Tox. 2, H330; → Eye Dam. 1, H318; → Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	0.005-<0.05
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50	2-methyl-2H-isothiazol-3-one	0.0015-<0.0

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

 ${\it Immediately \ remove \ any \ clothing \ soiled \ by \ the \ product.}$ 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least  $48\ \text{hours}$  after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Call for a doctor immediately.
- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- $\cdot$  5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective clothing.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 $\cdot$  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

(Contd. of page 2)

Trade name: 34-62-B black

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

## · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 107-21-1 ethanediol (25-<50%)

IOELV Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

Trade name: 34-62-B black

(Contd. of page 3)

```
SECTION 9: Physical and chemical properties
\cdot 9.1 Information on basic physical and chemical properties
 General Information
· Physical state
                                                      Fluid
· Colour:
                                                      According to product specification
· Odour:
                                                      Product specific
· Odour threshold:
                                                      Not determined.
· Melting point/freezing point:
                                                      Undetermined.
· Boiling point or initial boiling point and
                                                      100 °C (7732-18-5 water, distilled, conductivity
 boiling range
                                                      or of similar purity)
· Flammability
                                                      Not applicable.
· Lower and upper explosion limit
· Lower:
                                                      3.2 Vol % (107-21-1 ethanediol)
                                                      53 Vol % (107-21-1 ethanediol)
111 °C (107-21-1 ethanediol)
· Upper:
· Flash point:
                                                      410 °C (107-21-1 ethanediol)
· Ignition temperature:
· Decomposition temperature:
                                                      Not determined.
· pH at 20 °C
                                                      7.7
· Viscosity:
· Kinematic viscosity
                                                      Not determined.
· Dynamic at 20 °C:
                                                      5.8 mPas
· Solubility
water:
                                                      Fully miscible.
· Partition coefficient n-octanol/water (log value) Not determined.
· Vapour pressure at 20 °C:
                                                      23 hPa (7732-18-5 water, distilled, conductivity
                                                      or of similar purity)
Density and/or relative densityDensity at 20 °C:
                                                      1.1 \text{ g/cm}^3
· Relative density
                                                      Not determined.
· Vapour density
                                                      Not determined.
· 9.2 Other information
                                                      The physical and chemical properties given in
                                                      Section 9.1 are rough data only, which are
                                                      partially derived from the component's data of the
                                                      mixture. These data are no binding product
                                                      specifications.
· Appearance:
· Form:
· Important information on protection of health and
 environment, and on safety.
Auto-ignition temperature:
                                                      Product is not selfigniting.
· Explosive properties:
                                                      Not determined.
· Solvent content:
· Organic solvents:
                                                      Not determined
· Water:
                                                      Not determined
· Solids content:
                                                      Not determined
· Change in condition
· Evaporation rate
                                                      Not determined.
· Information with regard to physical hazard
 classes
· Explosives
                                                      none
· Flammable gases
                                                      none
· Aerosols
                                                      none
· Oxidising gases
                                                      none
· Gases under pressure
                                                      none
· Flammable liquids
· Flammable solids
                                                      none
· Self-reactive substances and mixtures
                                                      none
· Pyrophoric liquids
                                                      none
· Pyrophoric solids
                                                      none
· Self-heating substances and mixtures
                                                      none
· Substances and mixtures, which emit flammable
  gases in contact with water
                                                      none
· Oxidising liquids
· Oxidising solids
                                                      none
 Organic peroxides
                                                      none
 Corrosive to metals
                                                      none
· Desensitised explosives
```

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

Printing date 24.08.2023 Revision: 24.08.2023 Version number 1

(Contd. of page 4)

Trade name: 34-62-B black

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- $\cdot$  10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed.

#### · LD/LC50 values relevant for classification:

#### 107-21-1 ethanediol

Oral LD50 5,840 mg/kg (rat)
Dermal LD50 9,530 mg/kg (rbt)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- $\cdot$  Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- $\cdot$  12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

# SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA not applicable
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA not applicable

(Contd. on page 6)

Printing date 24.08.2023 Revision: 24.08.2023 Version number 1

Trade name: 34-62-B black

	(Contd. of page
not applicable	
Not applicable.	
to IMO	
not applicable	
	to IMO  Not applicable.

#### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	25-<50

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the RID: Reglement international concernant le transport des marchandises dangereuses par chemin International Transport of Dangerous Goods by Rail) IATA-DEGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 7)

Printing date 24.08.2023 Revision: 24.08.2023 Version number 1

Trade name: 34-62-B black

```
Contd. of page 6)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bloaccumulative and Toxic

vPVB: very Persistent and very Bloaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1A

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

** Data compared to the previous version altered.
```